

除湿机

- Dehumidifier:
Reduce the humidity and Dry the moist stuffs



产品用途 - 除湿机(除湿)

HOW & WHY TO USE USE DEHUMIDIFIER



强效湿度控制

弹性湿度控制30%, 40%...90%, 可配合天气跟空间调整!
还有不同模式: 干衣、连续除湿CO、舒爽AU、睡眠SLEEP、清净CL, 除了使室内跟人体都干爽、舒适, 还能抑止细菌、霉菌滋生, 健康更升级。

Efficiently Remove the Moisture

Setting the desired humidity flexibly from 30%, 40%... to 90% in different weather. Also provide various smart modes: Continuous Dehumidification[CO], Comfort Mode[AU], Sleep Mode[SLEEP] and Purification[CL].
Waive the damp, the mildew, the bacteria and the odor. Make users and the ambient in comfortable and healthy conditions.

过高湿度的影响

太过潮湿易导致人体呼吸道跟皮肤过敏, 空气中也容易孳生细菌、霉菌, 造成食物腐败、衣物器具发霉。为了使用者的健康与生活的舒适, 建议适当使用除湿功能!

Too Much Humidity Cause Problems

Damp and moisture indoor may generate molds and mildew, triggering allergic symptoms on skin or respiratory and making the food, furniture and clothes collapse easily. The moisture penetrates into the wall hurts the building as well.



除湿机的5种好处

- 1) 使环境干爽、舒适
- 2) 连绵雨季好干衣
- 3) 降低皮肤、鼻子与呼吸系统过敏不适
- 4) 减少细菌、霉菌滋生机会
- 5) 避免物品发霉、腐败异味(书、食物、家具)

独家特点

- 1) 温风除湿: 可同时暖被、烘鞋
- 2) 24小时开机/关机定时: 随时放心、弹性使用
- 3) 两用排水: 用水箱储水, 或接水管连续排水
- 4) 透明彩色水箱: 可清楚辨认水箱水位
- 5) 自动除霜与水箱水满警报

5 Reasons to Have Dehumidifiers

- 1) Make ambient dry and comfortable
- 2) Dry clothes in rain season
- 3) Reduce the generates of nose and skin allergens
- 4) Lower the breeding of bacteria and mildew
- 5) Free from odor of mould (books, food, furniture)

Our Unique Features

- 1) Warm air dehumidifier: Dry blanket & warm shoes
- 2) 24 hour ON/ OFF timer: flexible and safe to use
- 3) Tank with Pipe connection: Continuous draining
- 4) Transparent water tank: Easily see the water level
- 5) Self-Defrost and Tank Full Alarm

全能家用除湿机PD-WAE

High Performance Dehumidifier | PD-WAE



重点产品 - 除湿机 PD - W A E

High Performance Dehumidifier | PD-WAE

*最大日除湿能力: 25, 30, 35L/ Day

*流线质感触摸屏, 高亮度温度&湿度双显示

*智慧家电: 可Wi-Fi 联机 & APP控制

*弹性湿度设定与模式: 30~90%; 自动, 干衣

*连续干衣、除湿, 保持衣物干爽柔软无异味

*四档定时器(1/ 2/ 4/ 8小时): 自动开 & 关机

*高质量压缩机, 静音运转、低震动、无嗡鸣

*适用温度: 5~32 °C, 低温自动除霜

*安全警示: 满水自动停机, 搭配嗡鸣警示

*4.8L加大水箱, 亦可收纳电源线

*Water Removal: 25, 30,35L/Day (30°C RH80%)

*Touch pad with Temperature and Humidity display

*Smart appliance with Wi-Fi and APP control

*Humidity Setting: 30~90%; Auto, Clothes-Drying

*Continuous Clothes Drying: Makes the clothes soft and dry, and keep the closet fresh and odorless

*Auto On/Off timer: Auto-on or auto-off in 1/ 2/ 4/ 8 Hr

*Silent compressor: Stable operation with low vibration

*Applicable Environment: 5~32 °C. (Low Temp. Self-Defrost)

*Safe Alarm: Unit stops operating while the tank is full

*4.8L large water. Power cord storage available.



产品型号 Model

PD-WAE / PD-WBE

日除湿量 Capacity (L/Day, 30°C,RH80%)

20

30

35

日除湿量 Capacity (L/Day, 27°C,RH60%)

10

15

18

冷媒种类 Refrigerant Type

R290/ R134a

R290/ R410a

R290/ R410a

水箱容量 Water Tank Volume (L)

4.8L

4.8L

4.8L

音量 Noise (dB)

51

51

51

产品尺寸 Unit Dimensions (mm)

W408*D268*H574

W408*D268*H574

W408*D268*H574

包装材积 Packing Dimensions (mm)

W496*D356*H620

W496*D356*H620

W496*D356*H620

装柜量 CNTR Loading (20'FT/40'GP/40'HQ)

216/ 459/ 612

216/ 459/ 612

216/ 459/ 612

净重 Net Weight (kg) /

17

18

18.5

毛重 Gross Weight (kg)

18.3

19.3

20

控制面板 Control Panel



智能联机
Wi-Fi



风速
Speed



定时
Timer



模式
Modes




湿度设定
Humidity +/-



睡眠
Sleep

产品设计 Close Look



湿度设定 Humidity Setting



定时器(开/关) Timer(On/Off)



湿&温度显示 Temp.& Humidity



水箱 Water Tank



万向脚轮 Castors



内推手把 Hidden Handles

母婴静音除湿机PD-KAE

Baby Dehumidifier | PD-KAE



重点产品 - 除湿机 PD - K A E

Truly Silent Dehumidifier | PD-KAE



- *除湿量: 5, 7, 10, 12L/ Day (30°C RH80%)
- *静音安眠除湿(40dB), 运转整晚不失眠
- *迷你轻巧机身, 妇女/长辈好搬运
- *弹性湿度与模式: 50~80%, CO, AU, CL
- *连续干衣除湿, 保持衣物干爽柔软 无异味
- *24档定时器: 定时开; 定时关(独家!)
- *高质量压缩机, 静音运转、低震动无嗡鸣
- *2.5L加大水箱, 亦可收纳电源线
- *高密度尼龙滤网, 可重复清洗、阻挡空气中灰尘与异物进入机体, 有效净化空气!
- *另有简单ON/OFF控制款: PD-KAM

- *Water Removal: 5, 7, 10, 12L/Day (30°C RH80%)
- *Quite Sleep Mode for baby and light sleeper
- *Adorable baby size with super light weight
- *Flexible Humidity Setting and modes: 50~80
- *Continuous Clothes Drying: Makes the clothes soft and dry, and keep the closet fresh and odorless
- *24 hour timer: Auto-on or auto-off with simplest setting.
- *Silent compressor: Stable, quiet and slightest vibration
- *2.5L large water tank prolong the dehumidify duration
- *Washable high density filter catches dust and hair in air
- *Simple On/Off Control model: PD-KAM

产品型号 Model	PD-KAE / PD-KBE	
日除湿量 Capacity (L/Day, 30°C,RH80%)	10	12
日除湿量 Capacity (L/Day, 27°C,RH60%)	5	6
冷媒种类 Refrigerant Type	R290/ R134a	R290/ R134a
水箱容量 Water Tank Volume (L)	2.5L	2.5L
音量 Noise (dB)	<43	<43
产品尺寸 Unit Dimensions (mm)	W290*D240*H414	W290*D240*H414
包装材积 Packing Dimensions (mm)	W330*D284*H444	W330*D284*H444
装柜量 CNTR Loading (20'FT/40'GP/40'HQ)	700/ 1455/ 1737	700/ 1455/ 1737
净重 Net Weight (kg) /	7	9
毛重 Gross Weight (kg)	8	10.5

控制面板 Control Panel



电源
Power



湿度设定
Humidity +/-




定时
Timer




风速
Speed

产品设计 Close Look



湿度设定 Humidity Setting



24小时(24 Hour)
定时器(开/关) Timer(On/Off)




手把 Handles



2.5升 (2.5L)

水箱 Water Tank



选配脚轮 Castors (Optional)



加大出风口 Wide Outlet

靜音除溼系列

Truly - Silent Series



除湿机 PD - J A E

Dehumidifier | PD-JAE

- *日除湿能力: 10, 12L/ Day (30°C RH80%)
- *悬挂除湿架: 去除水箱后悬挂使用, 不占地面空间、快速除去上层角落水气
- *4L防滴漏水箱(附水箱盖) & 透明水位窗
- *弹性湿度模式: 30~90%, 干衣, 连续, 舒适
- *简单风格电子面板与LED双8显示
- *360度环状出风, 高效除湿、干衣
- *24档定时器: 定时开; 定时关(独家!)
- *高质量压缩机, 静音运转、低震动无喻鸣
- *安全警示: 满水自动停机, 搭配喻鸣警示

- *Water Removal: 10, 12L/Day (30°C RH80%)
- *Hanging Rack: Put the upper body on rack. Save the space and efficiently remove roof and wall's moisture.
- *4L water tank with cover and transparent window
- *Simple and clean electronic control with LED display
- *Humidity Setting: 30~90%, CO, AU, Clothes Drying
- *360° round outlet, efficiently dehumidify the air
- *24 hour timer: Auto-on or off with simplest setting.
- *Silent compressor: Stable operation without vibration
- *Safe Alarm: Unit stops operating while the tank is full



产品型号 Model

PD-JAE / PD-JAM

日除湿量 Capacity (L/Day, 30°C, RH80%)

10

日除湿量 Capacity (L/Day, 27°C, RH60%)

5

冷媒种类 Refrigerant Type

R134a

水箱容量 Water Tank Volume (L)

4L

音量 Noise (dB)

36~45

产品尺寸 Unit Dimensions (W*D*H, mm)

W314*D180*H482

包装材积 Packing Dimensions (mm)

W344*D210*H443

装柜量 CNTR Loading (20'FT/40'GP/40'HQ)

900/ 1875/ 2203

净重 Net Weight (kg)

9.5

毛重 Gross Weight (kg)

10.6



控制面板 Control Panel



电源
Power



定时
Timer



湿度设定
Humidity +/-




风速
Speed

产品设计 Close Look



湿度设定 Humidity Setting



万向脚轮 Castors



悬挂安装架 Hanging Rack



水箱 Water Tank



收纳设计 Storage Design



P D - E C E
电子按键 Electronic Control

除湿量 Capacity (30°C, 80%)
 10, 12 L/Day
湿度Humidity: 30%~90%

除湿量 Capacity (30°C, 80%)
 10, 12 L/Day
湿度Humidity: Auto

P D - E C M
一键开机 On/ Off Button

P D - E A R
机械旋钮 Mechanic Control

除湿量 Capacity (30°C, 80%)
 10, 12 L/Day
湿度Humidity: Level 1~9, Con.

除湿量 Capacity (30°C, 80%)
 10, 12 L/Day
湿度Humidity: Auto

P D - F A M
一键开机 On/ Off Button

家用輕巧系列

Household Compact Series



除湿机 P D - P A E

Dehumidifier | P D - P A E

*日除湿能力: 16, 25L/ Day (30°C RH80%)

*电子控制面板与双8显示

*弹性湿度与模式: 30~90%, 连续, 舒适

*24档定时器: 定时开; 定时关(独家!)

*高质量压缩机, 静音运转、低震动无嗡鸣

*适用温度: 5~32°C, 低温自动除霜

*安全警示: 满水自动停机, 搭配嗡鸣警示

*可加购: 银离子滤网、60cm水管

*Water Removal: 16, 25L/Day (30°C RH80%)

*Electronic control panel with 7-segment display

*Humidity Setting: 30~90%, CO, AU

*24 hour timer: Auto-on or auto-off with simplest setting.

*Silent compressor: Stable operation with low vibration

*Applicable Environment: 5~32°C . (<5°C Self-Defrost)

*Safe Alarm: Unit stops operating while the tank is full

*Optional: Ag-Ion sterilizing filter, UVC light, 60cm pipe



产品型号 Model

PD-PAE / PD-PAM1

日除湿量 Capacity (L/Day, 30°C,RH80%)

10

12

16

20

日除湿量 Capacity (L/Day, 27°C,RH60%)

5

6

8

10

冷媒种类 Refrigerant Type

R134a

R134a

R134a

R134a

水箱容量 Water Tank Volume (L)

4L

4L

4L

4L

音量 Noise (dB)

42

42

42

42

产品尺寸 Unit Dimensions (W*D*H, mm)

300*239*524

300*239*524

300*239*524

300*239*524

包装材积 Packing Dimensions (mm)

328*263*545

328*263*545

328*263*545

328*263*545

装柜量 CNTR Loading (20'FT/40'GP/40'HQ)

616/ 1260/ 1260

616/ 1260/ 1260

616/ 1260/ 1260

616/ 1260/ 1260

净重 Net Weight (kg) /

11.5

11.7

13.3

14.5

毛重 Gross Weight (kg)

12.6

12.8

14.5

15.4

控制面板 Control Panel



电源
Power



湿度设定
Humidity +/-




定时
Timer




风速
Speed

产品设计 Close Look



湿度设定 Humidity Setting



万向脚轮 Castors



可清洗滤网 Washable Filter



4升 (4L)

水箱 Water Tank



一体式注塑手把, 坚固、高承重
Injection Hidden Handle



P D - D A E
电子按键 Electronic Control

除湿量 Capacity (30°C, 80%)
 10, 12, 16, 20 L/Day
湿度Humidity: 30%~90%

除湿量 Capacity (30°C, 80%)
 10/ 12/ 16/ 20 L/Day
湿度Humidity: 30%~90%

P D - C A E
电子按键 Electronic Control

P D - D A R
机械旋钮 Mechanic Control

除湿量 Capacity (30°C, 80%)
 10, 12, 16, 20 L/Day
湿度Humidity: Low ~ High

除湿量 Capacity (30°C, 80%)
 10/ 12/ 16/ 20 L/Day
湿度Humidity: 1~9, Con

P D - C A R
机械旋钮 Mechanic Control



P D - S A M
 一键开机 On/ Off Button

除湿量 Capacity (30°C, 80%)
 10, 12, 16, 20 L/Day
湿度Humidity: Auto

除湿量 Capacity (30°C, 80%)
 10, 12, 16, 20 L/Day
湿度Humidity: 30%~90%

P D - S A E
 电子按键 Electronic Control

P D - S A N
 电子按键 Electronic Control

除湿量 Capacity (30°C, 80%)
 10, 12, 16, 20 L/Day
湿度Humidity: Level 1~9, Con.

除湿量 Capacity (30°C, 80%)
 10, 12, 16, 20 L/Day
湿度Humidity: 30%~90%

P D - S A R
 机械旋钮 Mechanic Control

快乾除溼系列

Ultra Performance Series



除湿机 P D - V A E

Dehumidifier | P D - V A E

- *除湿能力: 40~80L/Day (30°C, RH80%)
 - *5.6L防滴漏、潑濺水箱(包覆式)
 - *外掛式HEPA濾網, 可達到PM2.5殺菌過濾
 - *弹性湿度与模式: 30~90%, 连续, 舒适
 - *75度大角度吹拂扇叶
 - *电源线收纳固定杆
 - *24档定时器: 定时开; 定时关(独家!)
 - *适用温度: 5~32 °C, 低温自动除霜
 - *安全警示: 满水自动停机, 搭配喻鸣警示
 - *可加购: HEPA淨化滤网、60cm水管
- *Water Removal: 40~80L/Day (30°C RH80%)
 - *5.6L water tank with full covered
 - *Attachable HEPA filter at back,
 - *Humidity Setting: 30~90%, CO, AU
 - *75° swinging blade
 - *Power cord rack for storage
 - *24 hour timer: Auto-on or auto-off with simplest setting.
 - *Applicable Environment: 5~32 °C. (<5 °C Self-Defrosting)
 - *Safe Alarm: Unit stops operating while the tank is full
 - *Optional: Ag-Ion sterilizing filter, UVC light, 60cm pipe



产品型号 Model	PD-VAE			
日除湿量 Capacity (L/Day, 30°C,RH80%)	40	50	60	80
日除湿量 Capacity (L/Day, 27°C,RH60%)	20	25	30	40
冷媒种类 Refrigerant Type	R410a	R410a	R410a	R410a
水箱容量 Water Tank Volume (L)	5.6L	5.6L	5.6L	5.6L
音量 Noise (dB)	<65	<65	<65	<65
产品尺寸 Unit Dimensions (W*D*H, mm)	400*310*645	400*310*645	400*310*645	400*310*645
包装材积 Packing Dimensions (mm)	450*370*590	450*370*590	450*370*590	450*370*590
装柜量 CNTR Loading (20'FT/40'GP/40'HQ)	237/ 492/ 492	237/ 492/ 492	237/ 492/ 492	237/ 492/ 492
净重 Net Weight (kg) /	22.0	23.5	24.5	26.5
毛重 Gross Weight (kg)	24.0	25.5	26.5	28.5

控制面板 Control Panel



电源
Power



风速
Speed



湿度设定
Humidity +/-




定时
Timer

产品设计 Close Look



30~90%

湿度设定 Humidity Setting



万向脚轮 Castors

(选配) HEPA滤网
(Optional) HEPA Filter



电线缠绕架
Power Cord Rack



5.6升 (5.6L)

水箱 Water Tank



多角度叶片
Blades and Knob



P D - H A E
電子按鍵 Electronic Control

除湿量 Capacity (30°C, 80%)
40, 50, 60 L/Day
湿度Humidity: 30%~90%

除湿量 Capacity (30°C, 80%)
30, 40, 50, 60, 70 L/Day
湿度Humidity: 30%~90%

P D - L A E
電子按鍵 Electronic Control

P D - G A E
電子按鍵 Electronic Control

除湿量 Capacity (30°C, 80%)
30 L/Day
湿度Humidity: Auto

除湿量 Capacity (30°C, 80%)
30, 40, 50, 60, 70 L/Day
湿度Humidity: 30%~90%

P D - L A R
機械旋鈕 Mechanic Control

母婴静音除湿机

Product Table (Lite)

高温除湿量 Capacity: 10~12 L/Day

- 轻巧迷你机身 Super light and mini
- 加大水箱容量 Extra water tank volume
- 超静音运转<42分贝 Truly silent unit <42dB



型号	PD-KAE PD-KBE	PD-JAE PD-JAM	PD-ECE/ M/ R (PD-EAM)	PD-FAM
除湿量 Capacity (30°C 80%)	5~12 L/Day	10 L/Day	10~12 L/Day	10~12 L/Day
冷媒 Refrigerant	R134a	R134a	R290/ R134a	R134a
水箱 Water Tank	2.5L	4L	1.6L	1.8L
尺寸 Dimension (W*D*H, mm)	290*240*414	314*180*482	312*243*417 (312*235*417)	327*240*426
包装 Package (W*D*H, mm)	330*284*444	344*210*443	334*278*443 (334*260*443)	337*250*443
装柜量 CNTR (20'/40'/40'HQ)	700/ 1455/ 1737	900/ 1875/ 2203	705/1445/1723 (755/1565/1874)	765/ 1575/ 1886
净重 N.W. (kg)	7~9	9.5~10	10.1~10.6	10.1~10.6
毛重 G. W. (kg)	8~10.5	10.6~11.1	11~11.5	11~11.5
认证 Certificate	ETL(R134a)	CB(R134a)	CE,GS,CB(R290)	CCC(R134a)

家用轻巧除湿机

Product Table (Standard)

制冷&制热能力 Capacity: 7,000~10,500 BTU

- 冷热出风口可互换 Exchangeable Air Outlets
- 风管收纳保护 Built-In Hose Storage Design
- 三合一多功能产品 Multiple Functions 3-in-1



型号	PD-PAE	PD-DAE	PD-CAE	PD-SAE
除湿量 Capacity (30°C 80%)	10~20L/Day	10~20L/Day	10~20L/Day	10~20L/Day
冷媒 Refrigerant	R134a	R290/ R134a	R290/ R134a	R290/ R134a
水箱 Water Tank	4L	2.2L	2.1L	2.3L
尺寸 Dimension (W*D*H, mm)	300*239*524	365*220*508	310*220*490	365*220*490
包装 Package	328*263*545	403*258*530	340*253*526	395*253*530
装柜量 CNTR (20'/40'/40'HQ)	616/1260/1260	504/ 1064/ 1318	1179/ 1476	524/1080/1341
净重 N.W. (kg)	11.5~14.6	11.5~14.5	11.5~13.8	11.1~13.7
毛重 G. W. (kg)	12.6~15.4	12.6~15.4	12.6~14.8	12.2~14.8
认证 Certificate	N/A	CE,GS,CB(R290)	CE,GS,CB(R290)	CE,GS,CB(R290)

快干除湿机

Product Table (Ultra)



型号	PD-WAE	PD-GAE	PD-HAE	PD-LAE	PD-VAE
除湿量 Capacity (30°C 80%)	20~35L/ Day	30L/ Day	40~60L/ Day	30~70L/ Day	40~80L/ Day
冷媒 Refrigerant	R410a	R290/ R410a	R290/ R410a	R290/ R410a	R410a
水箱 Tank Volume	4.8L	4.5L	6.5L	7.2L	5.6L
音量 Noise (dB)	46~50	46~48	48~50	46~58	<65
尺寸 Dimension (mm)	408*268*574	360*246*506	405*268*632	481*286*628	400*310*645
包装尺寸 Package (W*D*H, mm)	496*356*620	398*288*535	445*320*666	517*330*665	450*370*695
装柜量(20'/40'/40'HQ) Container Loading	216/ 459/ 612	464/ 952/ 952	276/ 561/ 742	234/ 483/ 634	237/ 492/ 492
净重 Net Weight (kg)	17~18.5	18	18.6~19.5	19.5~23.8	22.0~26.5
毛重 Gross Weight (kg)	18.3~20	19.2	19.9~21.0	21~25.3	24.0~28.5
安規認證 Certificate	ETL(R410)	CE, GS(R290) CB(R410)	CE, GS, CCC(R290) CE, GS, CCC(R410)	CE, GS, CCC(R290) CE, GS, CCC(R410)	N/A